



Gazpromneft Premium N 5W-40

High Performance Passenger Vehicle Engine Oil



Engine oil



Synthetic



Multigrade



Gasoline and diesel engines



Engine cleanliness



Advanced polymers

Gazpromneft Premium N 5W-40 is fully synthetic engine oil designed to provide the ultimate protection for all technically advanced passenger cars and light commercial gasoline and diesel engines. Gazpromneft Premium N 5W-40 delivers increased protection during long oil drain intervals and engine wear protection from cold start to extreme temperatures, giving you confidence of protection in demanding conditions and high engine stress.

Applications



- Turbo-charged and direct injection high performance engines
- Cars with catalytic converters
- · Passenger cars, SUV's, light trucks and vans

Features	Advantages and Potential Benefits		
Broad vehicle application	High quality formulation suitable for a wide range of vehicles requiring premium quality product		
Long drain oil change intervals Long-lasting performance and excellent product stability for drain intervals			
Excellent low temperature performance	Instant oil flow at low temperatures provides easy cold starts and optimal lubrication from the first seconds after ignition		
Wear protection Strong oil film provides protection against wear under all op conditions for long engine life			
Deposit control	Prevents forming of sludge and harmful deposits through the use of advanced detergent additives for engine cleanliness		

Ар	provals	Meet the requirements	Recommendations
• • • • •	MB 229.5 Renault RN700 Renault RN710 VW 502 00 VW 505 00 AVTOVAZ UMZ	 ACEA A3/B4 API SN (licensed) API CF General Motors LL-B-025 MB 226.5 Porsche A40 PSA B71 2296 	BMW Longlife-01

Ø	IS	0	9	0	0	1
-	-	<u> </u>	-	-	-	

ISO 14001

ISO/TS 16949

OHSAS 18001

CERTIFIED

GAZPROMNEFT – LUBRICANTS, LTD. 14/3, Krzhyzhanovskogo Street, Moscow, 117218 Russia Tel: +7 (495) 642-99-69 Fax:+7 (495) 921-48-63 www.qazpromneft-oil.com While the information and figures given here are typical of current production and conform to specification, minor variations may occur. The information contained is subject to change without notice. Gazpromneft-Lubricants accept no liability for any damage or loss resulting from using the product in purposes other than it intended, from any failure to comply with the recommendations or from hazards inherent in the nature of the material. If you require any further information please consult our technical helpdesk. E-mail: <u>OilSupport@gazprom-neft.ru</u> 04/2020

Typical Characteristics

Properties	Method	Gazpromneft Premium N 5W-40
SAE Viscosity Grade	SAE J300	5W-40
Kinematic Viscosity @40°C, mm ² /s	ASTM D445	82,5
Kinematic Viscosity @100°C, mm ² /s	ASTM D445	14,2
Viscosity Index	ASTM D2270	179
Flash Point (COC), °C	ASTM D92	232
Pour Point, °C	ASTM D97	-41
Total Base Number, mg KOH/g	ISO 6619	9,2
Density @15°C, kg/m ³	ASTM D4052	859

Health, Safety & Environment

Information is provided for products in the relevant Safety Data Sheet (SDS). This provides guidance on potential hazards, precautions and first-aid measures, together with environmental effects and disposal of used products. SDS's are available upon request through your sales contract office. This product should not be used for purposes other than its intended use.

ISO 9001

ISO 14001

GAZPROMNEFT – LUBRICANTS, LTD. 14/3, Krzhyzhanovskogo Street, Moscow, 117218 Russia Tel: +7 (495) 642-99-69 Fax:+7 (495) 921-48-63 www.gazpromneft-oil.com

ISO/TS 16949

OHSAS 18001

CERTIFIED

While the information and figures given here are typical of current production and conform to specification, minor variations may occur. The information contained is subject to change without notice. Gazpromneft-Lubricants accept no liability for any damage or loss resulting from using the product in purposes other than it intended, from any failure to comply with the recommendations or from hazards inherent in the nature of the material. If you require any further information please consult our technical helpdesk. E-mail: <u>OilSupport@gazprom-neft.ru</u> 04/2020

Gazpromneft Premium N 5W-40 recommendations*

Makes	Models	Engines		
AUDI	A1, A3, A4, A5, A6, A7, A8, Q1, Q3, Q5, Q7	Gasoline before 2018 and Diesel before 2000		
BMW	GT, Series1, Series3, Series5, Series7, X1,X3, X5, X6	Gasoline before 2018 and Diesel before 2004		
CHERY	QQ6, CHANCE, M, TENGO, A, INDIS, E5, ARRIZO, RIICH, J11, TIGGO, BOSS, CROSSEASTAR	Gasoline before 2018		
CHEVROLET	AVEO,CAPTIVA, LANOS, NIVA, REZZO, VIVA	Gasoline and Diesel before 2006		
CITROEN	C1, C2, C3, C4, C5, C6, C8, DS3, DS4, DS5	Gasoline before 2018 (except THP, VTI, PureTech), Diesel before 2005		
DACIA	SUPERNOVA, SOLENZA, SANDERO, LOGAN, DUSTER, LODGYM DOKKER	Gasoline and Diesel without particulate filters before 2018		
DAEWOO	MATIZ, NEXIA, GENTRA	Gasoline before 2018		
DAIHATSU	CUORE, MIRA, CHARADE, TREVIS, MOVE, SIRION, YOUNG RV, MATERIA, TERIOS, COPEN	Gasoline before 2018		
DATSUN	MI-DO, ON-DO	Gasoline before 2018		
FIAT	500, DOBLO, 600, SEICENTO, PANDA, PALIO, ALBEA, SIENA, IDEA, PUNTO, LINEA, BARCHETTA, BRAVO, STILO, MAREA, CROMA, SEDICI, MULTIPLA	Gasoline and Diesel without particulate filters 2010		
GAZ	3102, 31029, 3110, SIBER	Gasoline before 2018		
GEELY	BEAUTY LEOPARD, BORUI, FREE CRUISER, EMGRAND, YUANJIN, VISION, GL EAGLE, HOAQING, LC PANDA, MEIRI ULIOU, KING KONG, JINGYING	Gasoline before 2014		
GREAT WALL	HAVAL, FLORID, VOLEEX, COOLBEAR, HAVAL, TENGYI, HOVER	Gasoline before 2018		
HONDA	JAZZ, CIVIC, STREAM, ACCORD, LEGEND, HR-V, CR-V, NSX	Gasoline before 2004		
HYUNDAI	ACCENT, ELANTRA, GETZ, I20, I30, I40 IX35, IX55, MATRIX, SANTA FE, SOLARIS, SONATA, TERRACAN, TUCSON, VERNA	Gasoline and Diesel without particulate filters before 2018		
INFINITI	G, I, JX, M, Q, EX, FX, QX	Gasoline before 2018		
KIA	CARENS, CARNAVAL, CEED, CERATO, MAGENTIS/OPTIMA, PICANTO, RIO, SORENTO, SOUL, SPECTRA/SEPHIA/SHUMA, SPORTAGE, VENGA	Gasoline and Diesel without particulate filters before 2018		
LADA	All models	Gasoline before 2018		
LIFAN	320, 520, 620, 720	Gasoline before 2018		
MAZDA	2,3, 323, 5, 6, ATENZA, AXELLA, CAPELLA, CX-3, CX-5, CX-7, CX-9, DEMIO, FAMILIA, PREMACY, VERISA	Gasoline before 2018 and Diesel before 2004		
MERCEDES-BENZ	A, B, C, E, S, SLK, SLC, SL, CLA, CLC, CLK, CLS, CL, GLA, GLK, GLC, M, GLE, R, G, GL, GLS	Gasoline and Diesel without particulate filters before 2018		
MITSUBISHI (европейская сборка)	AIRTREK, CARISMA, COLT, GALANT, GRANDIS, L200, LANCER, CEDIA, LIBERO, MIRAGE, OUTLANDER, PAJERO, PININ, SPORT, SPACE STAR	Gasoline and Diesel before 2009		
NISSAN (европейская сборка)	ALMERA, CUBE, EVALIA, JUKE, LEAF, MAXIMA QX, MICRA, MARCH, MURANO, NAVARA, NOTE, PATHFINDER, PATROL, TERRANO, PIXA, PULSAR, PRIMERA, QASHQAI, SKYLINE, TEANA, TIIDA, X-TRAIL	Gasoline and Diesel without particulate filters before 2018		
PEUGEOT	206, 207, 3008, 307, 308, 406, 407, 408, 508	Gasoline before 2018 (except THP, VTI, PureTech). Diesel before 2009		
PORSCHE	911, BOXSTER, CAYMAN, CAYENNE, PANAMERA, MACAN	Gasoline before 2018		
RENAULT	CLIO, DUSTER, FLUENCE, LAGUNA, LOGAN, MEGANE, SANDERO, SCENIC, SYMBOL	Gasoline and Diesel without particulate filters before 2018		
SEAT	AROSA, IBIZA, LEON, CORDOBA, EXEO, TOLEDO, ALTEA, ALHAMBRA	Gasoline before 2018 and Diesel before 2000		
SKODA	FABIA, OCTAVIA, RAPID, ROOMSTER, SUPERB, YETI	Gasoline before 2018 and Diesel before 2000		
SSANG YONG	ACTYON, CHAIRMAN, KORANDO, KYRON, MUSSO, REXTON, RODIUS	particulate fliters		
SUZUKI	ALTO, CELERIO, WAGON, SPLASH, SWIFT, IGNIS, SX4, LIANA, KIZASHI, JIMNY, VITARA, GRAND VITARA	Gasoline before 2018		
TAGAZ	VEGA, TAGER	Gasoline before 2018		
ΤΟΥΟΤΑ	AVENSIS, CALDINA, CAMRY, CARINA, COROLLA, CORONA, GAIA, HARRIER, HIGHLANDER, HILUX, IPSUM, IST, LAND CRUISER, MARK, NADIA, NOAH, OPA, PLATZ, PREMIO, PRIUS, RAV 4, SUCCEED, VERSO, VISTA, VITZ, WISH, YARIS	Diesel without particulate filters before 2007		
UAZ	3151, HUNTER, PATRIOT, PICKUP, CARGO	Gasoline and Diesel before 2018		
VOLKSWAGEN	AMAROCK, BORA, GOLF, JETTA, PASSAT, POLO, SHARAN, TIGUAN, TOUAREG, TOURAN	Gasoline before 2018 and Diesel before 2000		

* Third party data is used to determine the recommended products. Gazpromneft Lubricants accepts no liability for the suitability of any recommendation made. Any decisions you make based on this information are your sole responsibility. Before adding any products to your vehicle, please always check vehicle/equipment handbook to confirm the suitability of any product recommendations for your vehicle/equipment.

ISO 9001

ISO 14001

ISO/TS 16949

OHSAS 18001

CERTIFIED

GAZPROMNEFT – LUBRICANTS, LTD. 14/3, Krzhyzhanovskogo Street, Moscow, 117218 Russia Tel: +7 (495) 642-99-69 Fax:+7 (495) 921-48-63 www.gazpromneft-oil.com While the information and figures given here are typical of current production and conform to specification, minor variations may occur. The information contained is subject to change without notice. Gazpromneft-Lubricants accept no liability for any damage or loss resulting from using the product in purposes other than it intended, from any failure to comply with the recommendations or from hazards inherent in the nature of the material. If you require any further information please consult our technical helpdesk. E-mail: <u>OilSupport@gazprom-neft.ru</u> 04/2020